

Data Sheet FUJITSU Thin Client FUTRO S5011

Ultra-compact and Powerful Thin Client

The FUTRO S5011 is an ultra-compact and powerful Thin Client device for companies that need endpoints for their VDI and cloud client computing scenarios. The FUTRO S5011 has an optimal mix of industry leading OS, Thin Client device management consoles and flexible hardware options helping you provide secure computing and full productivity choices for your employees.

Improved performance with advanced technology
Ultimate performance to meet the business challenges of future computing

- AMD Ryzen™ Embedded R1305G processors
- Fast NVM Storage technology
- Fanless, zero noise Thin Client

eLux RP 6 Thin Client OS and Scout Enterprise Management Suite® 15
Enables upfront cost savings and keeps your IT infrastructure secure, up-to-date with continuous security patch releases

 Unicon offers a flexible licensing model that offers the eLux OS and Scout Enterprise Management Suite including Cloud Gateway with long term support for the latest updates

Enterprise-grade security

Enables you to provide a secure end-point device that helps prevent unauthorized access to sensitive enterprise data

 Centralized administration and granular access controls coupled with built-in BIOS security, Write Filter Protection and Kensington lock support

Ultra-compact design with improved connectivity

Be flexible and stay productive in a hyper-connected world

- Fully equipped Thin Client with a volume of only ~0.86 liters
- USB Speed up to 10 Gbps
- 5 USB ports with 1 USB Type-C port

Full productivity

The PC which will transform your workplace for the next gen needs

 UC&C ready with multi-monitor support for up to two 4K displays and ideal mix of modern (Type-C) and legacy interfaces







Technical details Components

Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,400 MT/s, SO DIMM
	8 GB (1 module(s) 8 GB) DDR4, 2,400 MT/s, SO DIMM
Graphics	DP to DVI-D (single link) Adapter Cable
	Display Port to VGA Adapter
Storage (internal) Storage notes	SSD PCIe, 128 GB NVMe, M.2 module, Flash drive (TLC technology), 75 TBW*
	SSD PCIe, 64 GB (57GB useable) NVMe , M.2 module, Flash drive (TLC technology), 39 TBW*
	Important Notice for M.2 Module Use: Predefined by NAND-Flash-Technology the device only supports a defined
	maximum number of Terabytes written.
	Any and all warranty for such devices is limited to this maximum Terabytes written. Please notice the section
	"restricted warranty" in our warranty book.
	Fujitsu therefore strongly recommends to activate the write filter of the M.2 module once the configuration is
	finished. This activation ensures the durability of the flash module and is also mandatory to ensure a highest level of IT security (e.g. against virus attacks). In case of a need to enable further write cycles the write filter can then be
	deactivated again at any time.
	*Terabytes written (TBW) calculated based on JESD-219A SSD Client workload
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
Interface add on cards/components	
(optional)	
	Internal speaker
Base unit	FUTRO S5011
Operating system and software (Linu	ux)
Operating system	eLux® RP
Notes	eLux® is a hardware-independent operating system for cloud computing environments. eLux ensures hardware independence and migration ability. An existing license can simply be transferred via Scout Enterprise whenever the hardware is upgraded. New updates and upgrades are always built modular – only the changed parts (delta) of the software are transferred to the device and implemented into the existing installation. Software updates and upgrades are available around the clock at myelux.com.
Functions	eLux® RP 6
	Citrix Receiver
	VMware® Horizon Client
	Updates and optional software packages are available at www.myelux.com
Manageability	Scout Enterprise, flash memory management, embedded operating system update and system monitoring, managing devices by location, group or user, individual operating system composition with ELIAS (eLux and Scout Enterprise Management Suite license required)
Operating system and software (Win	ndows 10 IoT)
Operating system	Windows® 10 IoT Enterprise 2021 LTSC
Notes	Windows 10 Support: After the end of the product life FUJITSU will continue to test and support all upcoming Window 10 releases for a period of maximum 5 years – depending on the available extension of hardware services through FUJITSU Warranty top ups. For details please see "FUJITSU Service Statement for Windows 10 Semi-Annual-Channel Support" at http://support.ts.fujitsu.com.
Functions	Internet Explorer
	Citrix Receiver VMware® Horizon Client
 Mainboard	
	D3944-B1
	D3944-B1 AMD Ryzen™ Embedded R1000 Series R1305G (Dual Core, 1.5 GHz, up to 2.8 GHz, AMD Radeon™ Vega 3 Graphics) (,)
Mainboard type Processor	
Mainboard Mainboard type Processor Memory slots Supported capacity RAM (max.)	AMD Ryzen™ Embedded R1000 Series R1305G (Dual Core, 1.5 GHz, up to 2.8 GHz, AMD Radeon™ Vega 3 Graphics) (,)

Page 2 / 5 www.fujitsu.com/emeia/FUTRO

Mainboard	
	DIOC Flash FDDOM and data have fewere
BIOS features	BIOS Flash EPROM update by software Recovery BIOS
	Unified Extensible Firmware Interface (UEFI)
Audio type	On board
Audio codec	Realtek ALC623
Interfaces	
DC-in	1
Front audio: headphone	1
USB 2.0 total	3
USB 3.2 Gen2 (10 Gbps) total	2
USB front	1x USB 3.2 Gen 2
	1x USB 3.2 Gen 2 Type-C
USB rear	3x USB 2.0
USB internal	1 pin header
DisplayPort	2 (DisplayPort 1.4)
Ethernet (RJ-45)	1
Kensington Lock support	1
Graphics on board	
Graphics on board Graphics brand name	AMD Radeon™ Vega 3 Graphics
Graphics color depth	32 bit colors
TFT resolution (DisplayPort)	up to 4,096 x 2,160 @ 60 Hz
Graphics features	DirectX® 12
Graphics reacures	OpenGL® 4.6
	Vulkan™
	Open CL® 2.2
Graphics notes	Graphics resolution and features depending on operating system and management solution.
Electrical values	
Power consumption long idle	6.10 W
Power consumption sleep mode power	1.59 W (WoL enabled)
Power consumption off mode power	0.26 W (WoL disabled)
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
Operating voltage range	100 V - 240 V (AC Input)
Operating line frequency range	50 Hz - 60 Hz
Dimensions / Weight / Environmental	
Dimension with stand (W x D x H)	68 x 165 x 156 mm
Dimensions (W x D x H)	36 x 165 x 147 mm
Operating position	Vertical / horizontal
Weight	605 g
Weight notes	Actual weight may vary depending on configuration
Operating ambient temperature	10 - 35 °C
Operating relative humidity	5 - 85 % (relative humidity)
	·
Compliance Product	FUTRO S5011
Model	TCS6
	GS GS
Germany Global	RoHS (Restriction of hazardous substances)
GIONGI	WEEE (Waste electrical and electronic equipment)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Security	
Physical Security	Kensington Lock support

Page 3 / 5 www.fujitsu.com/emeia/FUTRO

Security	
System and BIOS Security	Trusted Platform Module (TPM 2.0), optional without TPM User and supervisor BIOS password
Packaging information	
Packaging dimension (mm)	395 x 197 x 288 mm
Packaging dimension (inch)	15.55 x 7.76 x 11.34 inch
Max. quantity / pallet	84
Material - Weight (g) Carton	698 g
Material - Weight (lbs) Carton	1.54 lbs
Material - Weight (g) EPS / PS	0 g
Material - Weight (lbs) EPS / PS	0 lbs
Material - Weight (g) PE	20 g
Material - Weight (lbs) PE	0.04 lbs
Packaging notes	If keyboard is included in packaging, dimension is increasing to: $497 \times 206 \times 293$ mm and material weight of carton will increase to $901g$
Warranty	
Warranty period	2 years (depending on country)
Warranty type	Bring-In / Onsite Service (for countries within region EMEIA, for all other countries depending on local regulations)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu.com/free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.
Product Support Services - the perfec	ct extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

Mouse M520 black



The FUJITSU Accessory Mouse M520 black is an essential input device for PCs that works on nearly every surface and follows your hand movements S26381-K467-L100 smoothly and precisely. It features two buttons and a scroll wheel which also can be used as third button.

Order Code:

Mouse M520 grey



The FUJITSU Accessory Mouse M520 grey is an essential input device for PCs that works on nearly every surface and follows your hand movements S26381-K467-L101 smoothly and precisely. It features two buttons and a scroll wheel which also can be used as third button.

Order Code:

Page 4 / 5 www.fujitsu.com/emeia/FUTRO

More information

Fujitsu products, solutions & services

In addition to FUJITSU Thin Client FUTRO S5011, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/computing/

Software www.fujitsu.com/software/

More information

Learn more about FUJITSU Thin Client FUTRO S5011, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/emeia/FUTRO

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use. html

Copyright 2020 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2022-04-01 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html
Copyright 2020 Fujitsu Technology Solutions GmbH