

# Fast and efficient colour

Ricoh's P C600 is a faster and more efficient workgroup printer. With its compact design and tilting control panel it could be the perfect fit for your office.

## Producivity you can count on

- Vibrant 1200 dpi colour
- 6.5 second first page
- Fast 40 ppm throughput
- Up to four paper trays

The P C600 doesn't waste time. Quickly processing PCL and PostScript files, it delivers its first immaculately presented colour print in under 6.5 seconds and powers through multipage documents at an impressive 40 pages a minute. What is more, with up to four trays and 2100 sheets of paper on line, it will meet all output needs, including labels, envelopes and flyers.

### Easy to setup and easy to work with

- Compact design
- Easy installation wizard
- Tilting control panel
- Near Field Communication



Compact and quietly efficient, the P C600 can be placed within arms' reach of workgroup users. Its backlit LCD control panel tilts so that essential network and supply information is easily viewed. Ricoh's friendly installation wizard makes setup a breeze. The printer supports AirPrint and Google Cloud Print. And, with Near Field Communication (NFC) a standard feature, Ricoh's Smart Device Connector app makes it easy to connect NFC enabled Android devices.

Not only does it meet the latest environmental standards, the P C600 is surprisingly cost effective. It benefits from an ultralow Typical Electricity Consumption (TEC) rating. In sleep mode, its power consumption falls to less than one Watt, saving electricity and cutting energy bills. And, with its long life, 300,000-page drum also helping to reduce waste and minimise costs, the P C600 is one of the most economical and environmentally friendly colour printers available today.

### Eco friendly, cost saving solution

- Low TCO
- Energy Saving design
- Ultralow TEC rating
- 300K long life drum



# **RICOH P C600**

### MAIN SPECIFICATIONS

### GENERAL

Technology Làser Warm-up time 22 seconds First output speed: B/W 5.5 seconds First output speed: full colour 6.5 seconds Continuous output speed 40 ppm Memory: standard 2 GB Memory: maximum 2 GB HDD: option 320 GB Standard Duplex Weight 34 kg

Dimensions: W x D x H 445 x 570 x 470 mm Power source 220 - 240 V, 50/60 Hz

#### PRINTER

CPU Intel® Atom Processor ApolloLake:1.3 GHz

PCL5c, PCL6, PostScript 3 (emulation), PDF direct (emulation) Printer language: standard

Genuine Adobe ®PostScript®3™ Printer language: option Print resolution Maximum:1,200 x 1,200 dpi/1bit

Interface Standard (USB 2.0, Ethernet 10 base-T/100 base-TX/1000 base-T, USB Host), Option (Bi-directional IEEE 1284, Wireless LAN

(IEEE 802.11a/b/g/n), Ethernet Print only RJ-45 network port )

PCL/PS3 (80 Roman fonts + 13 International fonts), Adobe PS3 (136 Roman fonts) Font

Apple AirPrint™ Mobile printing capability

Mopria Google Cloud Print

NFC

Ricoh Smart Device Connector Windows® 8.1

Windows® environments Windows® 7

> Windows® 10 Windows® Server 2008 Windows® Server 2008R2 Windows® Server 2012 Windows® Server 2012R2 Windows® Server 2016 Macintosh OS X v10.11 - v10.13

Mac OS environments UNIX environments UNIX Sun® Solaris10

HP-UX11.x11i v211i v3 SCO OpenServer5.0.76.0 RedHat® Linux Enterprise456 IBM® AIXV6.1V7.1V7.2 XenDesktop7.0

Citrix XenApp7.5 and later

SAP® environments SAP® R/3®

SAP® S/4®

#### PAPER HANDLING

Standard paper tray(s):A4, A5, A6, B5, B6 Optional paper tray(s):A4, A5, B5, B6 Recommended paper size

Bypass tray:A4, A5, A6, B5, B6

500 sheets Paper input: standard 100 sheets Paper input: bypass Paper input: maximum 2,100 sheets 500 sheets Paper output: standard Trays:60 - 163 g/m² Optional tray(s)60 - 220 g/m² Paper weight

Bypass:60 - 220 g/m² Duplex:60 - 163 g/m²

Label paper, Thick paper, Plain paper, Recycled paper, Colour paper, Letterhead, Cardstock, Pre-printed paper, Bond paper, Paper types

Envelope, Coated paper, Middle thick paper

#### SECURITY

Windows authentication Authentication

LDAP authentication Basic authentication User code authentication 802.1.x wired authentication

# **RICOH P C600**

# MAIN SPECIFICATIONS

### ECOLOGY

Power consumption: max.

Power consumption operation: B/W

Power consumption operation:

Full colour Power consumption: ready Power consumption: sleep

TEC Environmental standard:

Usage and durability ratings

**OUTPUT TRAYS OPTIONS** 

### 3x 500-sheet Paper tray OTHER OPTIONS

Hard Disk Drive High cabinet

Low cabinet VM card Genuine PostScript 3 IEEE 1284 I/F

IEEE 802.11 a/b/g/n I/F USB Device Server Enhanced security HDD

#### CONSUMABLES

Starter toner Toner: black

Toner: cyan/magenta/yellow Consumable yield measuring method ISO/IEC 19752

Less than 1,550 W

628 2 W

680.4 W

85.4 W Less than 0.53 W

1.9 kWh BAM

18,000 prints

12,000 prints

Hong Kong Energy saving label

Duty:150,000 prints
Estimated life:5 years or 900,000 output

Toner (black) (8,000 prints), Toner (colour) (6,000 prints)



















