

MPN: USBAA5B

## USB 2.0 Cable, 5m

This USB cable is for connection of external USB devices with USB Type C sockets to the USB Host (USB hub, Wall plug with USB, Computer or Notebook). Data transmission up to 0.48 Gbit/s.

## Overview of USB Generations

The naming conventions for our USB cables have been updated to match the latest USB standards.

- $\cdot$  USB 2.0 supports transfer speeds of up to 480 Mbps.
- $\cdot$  USB 3.0 and USB 3.1 Gen 1 are now identified as USB 3.2 Gen 1, offering data transfer speeds of up to 5 Gbps.
- $\cdot$  USB 3.1 and USB 3.1 Gen 2 have been renamed to USB 3.2 Gen 2, with transfer rates reaching up to 10 Gbps.
- The new USB 3.2 Gen 2x2 standard supports transfer speeds of up to 20 Gbps.
- $\cdot$  USB 4 offers even higher speeds, with rates of up to 40 Gbps, along with better compatibility with Thunderbolt 3.

USB 2.0, USB 3.0, USB 3.1, USB 3.2, and USB 4 cables and devices are all compatible with each other when using either a USB Type-A or USB Type-C host interface.

- For syncing and charging
- Hi-Speed data transmission up to 0.48 Gbit/s
- Suitable for many mass storage devices and peripherals such as hard disks or HUBs



Fe	at	u	65

Cable jacket material	Polyvinyl chloride (PVC)
Cable length	5 m
Conductor material	Copper
Connector 1	USB A
Connector 1 form factor	Straight
Connector 1 gender	Male
Connector 2	USB A
Connector 2 form factor	Straight
Connector 2 gender	Male
Connector contacts plating	Nickel
Maximum data transfer rate	480 Mbit/s
Plug and Play	Yes
Product colour	Black
RoHS compliance	Yes
USB version	USB 2.0
Depth Verified	16 cm
Gross Weight Verified	0.126 kg
Height Verified	2.3 cm

27.7 cm

## Package dimensions (verified)

Width Verified



 Packaging data
 Quantity per pack
 1 pc(s)

 Product dimensions
 Net Weight (Product, kg)
 0.12 kg

 Vendor information
 Brand Name
 MicroConnect

 Warranty
 25 Year(s)



## Other products in this series

Cable length	Black	Black/Green	Grey
0.1	USBAA01B		
0.5	USBAA05B		USBAA05
1.0	USBAA1B		
1.8	USBAA2B		USBAA2
2.0		MC-SMART USB-C-L-01	
3.0	USBAA3B		USBAA3
5.0	USBAA5B		USBAA5