

### MPN: MC-DP-HDMI-3004K

# 4K DisplayPort 1.4 - HDMI 2.0 Cable 3m

This high performance DisplayPort to HDMI digital HD cable enables you to convert DisplayPort signals to HDMI signals. It could be for transmitting HD video signals from a computer to a monitor with HDMI interface.

- Max. Resolution: 4K Ultra HD 2160p (60 Hz)
- Gold-Plated connectors
- Plug with lock for secure connections
- Signal Direction: DisplayPort to HDMI
- Support DisplayPort 1.2, backwards compatible with 1.1



## Specifications

#### Features

3D	Yes
AWG wire size	30
Bandwidth	18000 MB/s
Bandwidth	225 MHz
Cable length	3 m
Cable material	Copper
Chipset	SCDH60V
Connector 1	DisplayPort
Connector 1 form factor	Straight
Connector 1 gender	Male
Connector 2	HDMI
Connector 2 form factor	Straight
Connector 2 gender	Male
Connector contacts plating	Gold
Data transfer rate	18 Gbit/s
DisplayPort Content Protection (DPCP)	Yes
DisplayPort version	1.4
HDCP	Yes
HDCP version	1.4/2.2
HDMI version	2.0
High Dynamic Range (HDR) supported	Yes
Jacket material	Polyvinyl chloride (PVC)
Maximum refresh rate	60 Hz
Maximum resolution	4096 x 2160 Pixels
Number of shielding layers	3
Plug and Play	Yes
Product colour	Black



Features	RoHS compliance	Yes
	Supported graphics resolutions	4096 x 2160
	Supported video modes	2160p
Package dimensions	Depth (package,cm)	15.9 cm
	Gross Weight (Package, kg)	0.2 kg
	Height (package,cm)	3.8 cm
	Width (package,cm)	21.9 cm
Packaging data	Quantity per pack	1 pc(s)
Product dimensions	Net Weight (Product, kg)	0.17 kg
Sustainability	Sustainability certificates	RoHS, CE, REACH
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Cable diameter	6 mm



## Other products in this series

Cable length	
0.5	MC-DP-HDMI-0504K
1.0	MC-DP-HDMI-1004K
2.0	MC-DP-HDMI-2004K
3.0	MC-DP-HDMI-3004K
5.0	MC-DP-HDMI-5004K



Other images

