

MPN: MDPMDP2000BV1.4OP

Premium Optic Mini DisplayPort 1.4 Cable with detachable DisplayPort Connectors, 20m

This active optical Mini DisplayPort 1.4 Cable connects devices across long distances up to 100m without data loss – even in sensitive applications. The detachable connectors enables you to use the cable in different installations like Mini DP, Mini DP to DisplayPort and so on. It contains both fiber optic and copper cores, it is lightweight, flexible and has an ultra-small bend radius which makes it perfectly suitable for all kinds of installations. Fibre

- Supporting 8K60Hz, 32.4Gbps
- Sampling : YUV 4:4:4
- Outer Diameter: 4,8mm, very flexible
- Support DP1.4 standard, bandwidth can reach 8.1 Gbps per channel
- Supports EDID, HDCP (2.2), HDR (High Dynamic
- Hybrid optical cable with fibre and copper wire
- Has Source & Display clearly printed on the connector for easy identification
- No loss of signal – delivering crystal clear digital images instantly
- Low RFI / EMI profile for sensitive applications
- Has high pulling strength and compression load
- Has an extra feature it comes with a DisplayPort adapter, which enables you to use it from a DisplayPort source to a DisplayPort monitor.



Specifications

Features		
3D		Yes
Cable length		20 m
Cable material		Fiber optic
Connector 1		Mini DisplayPort
Connector 1 gender		Male
Connector 2		Mini DisplayPort
Connector 2 gender		Male
Connector contacts plating		Gold
Data transfer rate		32.4 Gbit/s
DisplayPort Content Protection (DPCP)		Yes
DisplayPort version		1.4
HDCP		Yes
Jacket material		Polyvinyl chloride (PVC)
Latching connectors		Yes
Maximum refresh rate		60 Hz
Maximum resolution		7680 x 4320 Pixels
Product colour		Black
RoHS compliance		Yes

Package dimensions	Gross Weight (Package, kg)	1 kg
Product dimensions	Net Weight (Product, kg)	0.8 kg
Technical details	Sustainability certificates	RoHS
	Sustainability compliance	Yes
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)

Other images

