

MPN: V-UTP603B-FLAT

# CAT6 U/UTP FLAT Network Cable 3m, Blue

CAT6 Flat cables are perfect for installations where you need to save space in IT Racks and Cabinets. They are also very ideal to behind baseboards to be laid under carpets or other floors. All the cables are tested up to 250MHz (CAT6 standard) and are backwards compatible with CAT5e and CAT5 cables. Each cable are manufactured with a snaggles with prevents the connector do be damaged when you install the cable through an installation with very less space.



- Suitable for Gigabit (10/100/1000 Mbit) network
- CAT6 tested up to 250 MHZ
- with slimline strain relief, with gold plated PINs
- perfect for installations where you need to save space in IT Racks and Cabinets

## Specifications

<b>Features</b>	<b>AWG wire size</b>	32/7
	<b>Cable length</b>	3 m
	<b>Cable shielding</b>	U/UTP (UTP)
	<b>Cable standard</b>	Cat6
	<b>Cable type</b>	Cat6
	<b>Conductor material</b>	Copper
	<b>Conductor type</b>	Stranded
	<b>Connector 1</b>	RJ45
	<b>Connector 1 gender</b>	Male
	<b>Connector 2</b>	RJ45
	<b>Connector 2 gender</b>	Male
	<b>Data transfer rate</b>	10000 Mbit/s
	<b>Frequency</b>	250 MHz
	<b>Jacket material</b>	Polyvinyl chloride (PVC)
	<b>Product colour</b>	Blue
	<b>RoHS compliance</b>	Yes
<b>Other features</b>	<b>Product series</b>	Flat Cable
<b>Package dimensions (verified)</b>	<b>Depth Verified</b>	16.1 cm
	<b>Gross Weight Verified</b>	0.1 kg
	<b>Height Verified</b>	1.3 cm
	<b>Width Verified</b>	27.6 cm
<b>Packaging data</b>	<b>Quantity per pack</b>	1 pc(s)
<b>Product dimensions</b>	<b>Net Weight (Product, kg)</b>	0.090000000000000001 kg
<b>Vendor information</b>	<b>Brand Name</b>	MicroConnect
	<b>Warranty</b>	25 Year(s)



## Other products in this series

Cable length	Black	Blue	Brown	Green
0.5	V-UTP6A005S-FLAT	V-UTP6005B-FLAT	V-UTP6A005DB-FLAT	V-UTP6A005G-FLAT
1.0	V-UTP6A01S-FLAT	V-UTP6A01B-FLAT	V-UTP601DB-FLAT	V-UTP601G-FLAT
1.5		V-UTP6015B-FLAT		
2.0	V-UTP6A02S-FLAT	V-UTP6A02B-FLAT	V-UTP6A02DB-FLAT	V-UTP6A02G-FLAT
3.0	V-UTP6A03S-FLAT	V-UTP6A03B-FLAT	V-UTP6A03DB-FLAT	V-UTP6A03G-FLAT
5.0	V-UTP6A05S-FLAT	V-UTP605B-FLAT		V-UTP6A05G-FLAT
7.0	V-UTP6A07S-FLAT	V-UTP6A07B-FLAT		
10.0	V-UTP6A10S-FLAT	V-UTP6A10B-FLAT		
15.0	V-UTP6A15S-FLAT	V-UTP6A15B-FLAT		
20.0	V-UTP6A20S-FLAT			

Cable length	Orange	Pink	Purple	Red
0.5	V-UTP6A005O-FLAT	V-UTP6A005PI-FLAT	V-UTP6A005P-FLAT	V-UTP6A005R-FLAT
1.0	V-UTP6A01O-FLAT	V-UTP6A01PI-FLAT	V-UTP6A01P-FLAT	V-UTP6A01R-FLAT
1.5				
2.0	V-UTP6A02O-FLAT		V-UTP6A02P-FLAT	V-UTP6A02R-FLAT
3.0	V-UTP6A03O-FLAT	V-UTP6A03PI-FLAT	V-UTP6A03P-FLAT	V-UTP6A03R-FLAT
5.0	V-UTP6A05O-FLAT		V-UTP6A05P-FLAT	V-UTP6A05R-FLAT
7.0	V-UTP6A07O-FLAT		V-UTP6A07P-FLAT	V-UTP6A07R-FLAT
10.0	V-UTP6A10O-FLAT		V-UTP6A10P-FLAT	V-UTP6A10R-FLAT
15.0	V-UTP6A15O-FLAT		V-UTP6A15P-FLAT	V-UTP6A15R-FLAT
20.0				

Cable length	White	Yellow
0.5	V-UTP6A005W-FLAT	V-UTP6A005Y-FLAT
1.0	V-UTP601W-FLAT-LSZ H	V-UTP6A01Y-FLAT
1.5		V-UTP6015Y-FLAT
2.0	V-UTP602W-FLAT-LSZ H	V-UTP6A02Y-FLAT
3.0	V-UTP6A03W-FLAT	V-UTP6A03Y-FLAT
5.0	V-UTP605W-FLAT-LSZ H	V-UTP6A05Y-FLAT

Cable length	White	Yellow
7.0	V-UTP607W-FLAT	V-UTP6A07Y-FLAT
10.0	V-UTP6A10W-FLAT	V-UTP6A10Y-FLAT
15.0	V-UTP6A15W-FLAT	V-UTP6A15Y-FLAT
20.0	V-UTP6A20W-FLAT	