

MPN: MC-HDM19193V2.1

HDMI Cable 8K, 3m

Ultra High-Speed 8K@60Hz 48Gbit HDMI 2.1 Cable with Dynamic HDR and enhanced Audio Return Channel (eARC). Supports resolutions up to 10K and refresh rates up to 120Hz. This cable is backwards compatible

- HDMI 2.1 8K60Hz
- 48Gbps
- Support YUV sampling: 4:4:4
- HDCP 2.2
- Great Performance



Specifications

Features

| | |
|-------------------------------------|-------------------------------|
| 3D | Yes |
| Audio Return Channel (ARC) | Yes |
| AWG wire size | 30 |
| Bandwidth | 48 MB/s |
| Cable length | 3 m |
| Cable material | Copper |
| Colour sampling | 4:4:4 |
| Connector 1 | HDMI Type A (Standard) |
| Connector 1 form factor | Straight |
| Connector 1 gender | Male |
| Connector 2 | HDMI Type A (Standard) |
| Connector 2 form factor | Straight |
| Connector 2 gender | Male |
| Connector contacts plating | Gold |
| Data transfer rate | 48 Gbit/s |
| Dolby technologies | Dolby TrueHD |
| HDCP | Yes |
| HDCP version | 1.4/2.2 |
| HDMI Ethernet channel | Yes |
| HDMI version | 2.1 |
| High Dynamic Range (HDR) supported | Yes |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) |
| High Dynamic Range 10 (HDR10) | Yes |
| Magnetically shielded | Yes |
| Maximum refresh rate | 120 Hz |
| Maximum resolution | 7680 x 4320 Pixels |
| Plug and Play | Yes |

| | | |
|--------------------------------|---------------------------------------|-----------------|
| Features | Product colour | Black |
| | Quantity per pack | 1 pc(s) |
| | RGB support | 4:4:4 |
| | RoHS compliance | Yes |
| | Supported graphics resolutions | 7680 x 4320 |
| | Supported video modes | 2160p, 4320p |
| Other features | Quantity | 1 |
| Package dimensions | Depth (package,cm) | 15.8 cm |
| | Gross Weight (Package, kg) | 0.154 kg |
| | Height (package,cm) | 4.1 cm |
| | Width (package,cm) | 27.1 cm |
| Product dimensions | Net Weight (Product, kg) | 0.05 kg |
| | Product Depth | 15.8 cm |
| | Product Height | 4.1 cm |
| | Product Width | 27.1 cm |
| Technical details | Sustainability certificates | CE, REACH, RoHS |
| | Sustainability compliance | Yes |
| Vendor information | Brand Name | MicroConnect |
| | Warranty | 25 Year(s) |
| Weight & dimensions | Cable diameter | 6.3 mm |

Other products in this series

| Cable length | |
|--------------|-------------------|
| 0.5 | MC-HDM19190.5V2.1 |
| 1.0 | MC-HDM19191V2.1 |
| 1.5 | MC-HDM19191.5V2.1 |
| 2.0 | MC-HDM19192V2.1 |
| 3.0 | MC-HDM19193V2.1 |
| 4.0 | MC-HDM19194V2.1 |
| 5.0 | MC-HDM19195V2.1 |
| 7.5 | MC-HDM19197.5V2.1 |
| 10.0 | MC-HDM191910V2.1 |

Other images

