

Premium Optic Fiber USB 3.2 Gen 1 A Cable, 5m

This active optical USB 3.2 Gen 1 cable connects computers and other devices over longer distances. It is thin and very flexible, can be bent, squeezed and tangled without any damage.

- Extends USB 3.2 Gen 1 Super Speed devices up to 30m (without external power supply)
- Transmission rate: 5 Gbit/s (same as USB3.2 Gen1)
- Outer Diameter: 4,0mm, very flexible
- Operates with USB 3.0 super speed host controllers
- Supports all major operating systems, including Windows, Mac OS, and Linux
- Number of devices can be increased using additional hubs
- Has Source & Display clearly printed on the connector for easy identification
- Not downward compatible with USB 2.0
- USB 3.0 and USB 3.1 Gen 1 are now identified as USB 3.2 Gen 1, offering data transfer speeds of up to 5 Gbps.

Specifications

	Citting	(31)

Features	Cable jacket material	Polyvinyl chloride (PVC)	
	Cable length	5 m	
	Conductor material	Copper	
	Connector 1	USB A	
	Connector 1 form factor	Straight	
	Connector 1 gender	Male	
	Connector 2	USB A	
	Connector 2 form factor	Straight	
	Connector 2 gender	Male	
	Connector contacts plating	Gold	
	Maximum data transfer rate	5000 Mbit/s	
	Plug and Play	Yes	
	Product colour	Black	
	RoHS compliance	Yes	
	USB version	USB 3.2 Gen 1 (3.1 Gen 1)	
Package dimensions (verified)	Depth Verified	23 cm	
	Gross Weight Verified	0.308 kg	
	Height Verified	4.3 cm	
	Width Verified	23.7 cm	
Packaging data	Quantity per pack	1 pc(s)	
Product dimensions	Net Weight (Product, kg)	0.208 kg	
Vendor information	Brand Name	MicroConnect	
	Warranty	25 Year(s)	



Weight & dimensions

Cable diameter

4 mm



Other products in this series

Cable length	
5.0	USB3.0AA5BOP
10.0	USB3.0AA10BOP
15.0	USB3.0AA15BOP
20.0	MC-USB3.0AAF20AO P
25.0	MC-USB3.0AAF25AOP
30.0	MC-USB3.0AAF30AO P



Other images



