

MPN: V-FTP6A005R-SLIM

CAT6A U-FTP Slim, LSZH, 0.50m Network Cable, Red

These CAT6a cables are perfect for installations where you need to save space in IT Racks and Cabinets. They cables are thinner and very flexible which provides the installer a better accessibility and quick and easy switching. Furthermore, it improves the Airflow, and thereby reducing the risk of down-time. All the cables are Channel link tested up to 500Mhz (CAT6a) standard). Each cable is manufactured with a snagless to prevents the connector to be damaged when you install the cable through an installation with very less space.

- Fluke CAT6A Channel Link Pass
- PoE++ ready
- LSZH – Low Smoke Zero Halogen
- Snagless hood
- Length marking on boot
- AWG78



Specifications

Features	AWG wire size	32	
	Cable length	0.5 m	
	Cable shielding	U/FTP (STP)	
	Cable standard	Cat6a	
	Conductor material	Copper	
	Connector 1	RJ45	
	Connector 1 gender	Male	
	Connector 2	RJ45	
	Connector 2 gender	Male	
	Connector shielding	Yes	
	Data transfer rate	10000 Mbit/s	
	Halogen-free	Yes	
	Jacket material	Low smoke zero halogen (LSZH)	
	Power over Ethernet (PoE) type supported	PoE++ (4PPoE)	
	Product colour	Red	
	Snagless cable boot	Yes	
	Other features	Connector(s)	RJ45
	Package dimensions	Depth (package,cm)	12 cm
Gross Weight (Package, kg)		0.016 kg	
Height (package,cm)		1.8 cm	
Width (package,cm)		15.7 cm	
Product dimensions	Net Weight (Product, kg)	0.014 kg	
Vendor information	Brand Name	MicroConnect	

Vendor information	Warranty	25 Year(s)
Weight & dimensions	Outer diameter	4.4 mm

Other products in this series

Cable length	Black	Blue	Green	Grey
0.25	V-FTP6A0025S-SLIM	V-FTP6A0025B-SLIM	V-FTP6A0025G-SLIM	V-FTP6A0025-SLIM
0.5	V-FTP6A005S-SLIM	V-FTP6A005B-SLIM	V-FTP6A005G-SLIM	V-FTP6A005-SLIM
1.0	V-FTP6A01S-SLIM	V-FTP6A01B-SLIM	V-FTP6A01G-SLIM	V-FTP6A01-SLIM
1.5	V-FTP6A015S-SLIM	V-FTP6A015B-SLIM	V-FTP6A015G-SLIM	V-FTP6A015-SLIM
2.0	V-FTP6A02S-SLIM	V-FTP6A02B-SLIM	V-FTP6A02G-SLIM	V-FTP6A02-ARMOR
3.0	V-FTP6A03S-SLIM	V-FTP6A03B-SLIM	V-FTP6A03G-SLIM	V-FTP6A03-SLIM
5.0	V-FTP6A05S-SLIM	V-FTP6A05B-SLIM	V-FTP6A05G-SLIM	V-FTP6A05-ARMOR
7.5	V-FTP6A075S-SLIM	V-FTP6A075B-SLIM	V-FTP6A075G-SLIM	V-FTP6A075-SLIM
10.0	V-FTP6A10S-SLIM	V-FTP6A10B-SLIM	V-FTP6A10G-SLIM	V-FTP6A10-SLIM

Cable length	Red	White	Yellow
0.25	V-FTP6A0025R-SLIM	V-FTP6A0025W-SLIM	V-FTP6A0025Y-SLIM
0.5	V-FTP6A005R-SLIM	V-FTP6A005W-SLIM	V-FTP6A005Y-SLIM
1.0	V-FTP6A01R-SLIM	V-FTP6A01W-SLIM	V-FTP6A01Y-SLIM
1.5	V-FTP6A015R-SLIM	V-FTP6A015W-SLIM	V-FTP6A015Y-SLIM
2.0	V-FTP6A02R-SLIM	V-FTP6A02W-SLIM-S W	V-FTP6A02Y-SLIM
3.0	V-FTP6A03R-SLIM	V-FTP6A03W-SLIM	V-FTP6A03Y-SLIM
5.0	V-FTP6A05R-SLIM	V-FTP6A05W-SLIM	V-FTP6A05Y-SLIM
7.5	V-FTP6A075R-SLIM	V-FTP6A075W-SLIM	V-FTP6A075Y-SLIM
10.0	V-FTP6A10R-SLIM	V-FTP6A10W-SLIM	V-FTP6A10Y-SLIM

Other images

