

MPN: V-UTP602W-FLAT-LSZH

CAT6 U/UTP FLAT Network Cable 2m, LSZH, White

CAT6 Flat cables are perfect for installations where you need to save space in IT Racks and Cabinets. They are also very ideal to be laid behind baseboards to be laid under carpets or other floors. All the cables are tested up to 250MHz (CAT6 standard) and are backwards compatible with CAT5e and CAT5 cables. Each cable are manufactured with a snaggle which prevents the connector from being damaged when you install the cable through an installation with very less space.



- Suitable for Gigabit (10/100/1000 Mbit) network
- CAT6 tested up to 250 MHz
- with slimline strain relief, with gold plated PINs
- perfect for installations where you need to save space in IT Racks and Cabinets
- Halogen-free (LSZH)

Specifications

Features	AWG wire size	32/7
	Cable length	2 m
	Cable shape	Flat
	Cable shielding	U/UTP (UTP)
	Cable standard	Cat6
	Cabling technology	10/100/1000Base-T(X)
	Certification	RoHS, CE
	Conductor material	Copper
	Conductor type	Stranded
	Connector 1	RJ45
	Connector 1 gender	Male
	Connector 2	RJ45
	Connector 2 gender	Male
	Connector contacts plating	Gold
	Data transfer rate	10000 Mbit/s
	Ethernet interface type	Gigabit Ethernet
	Frequency	250 MHz
	Halogen-free	Yes
	Jacket material	Low smoke zero halogen (LSZH)
	Molded cable boot	Yes
	Power over Ethernet (PoE)	Yes
	Product colour	White
	RoHS compliance	Yes
Other features	Product series	Flat Cable
Package dimensions	Depth (package,cm)	11.9 cm

Package dimensions	Gross Weight (Package, kg)	0.042 kg
	Height (package,cm)	1.5 cm
	Width (package,cm)	15.7 cm
Packaging data	Quantity per pack	1 pc(s)
Product dimensions	Net Weight (Product, kg)	0.03 kg
Technical details	Doesn't contain	Halogen
	Sustainability certificates	RoHS
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)

Other products in this series

Cable length	Black	Blue	Brown	Green
0.5	V-UTP6A005S-FLAT	V-UTP6005B-FLAT	V-UTP6A005DB-FLAT	V-UTP6A005G-FLAT
1.0	V-UTP6A01S-FLAT	V-UTP6A01B-FLAT	V-UTP601DB-FLAT	V-UTP601G-FLAT
1.5		V-UTP6015B-FLAT		
2.0	V-UTP6A02S-FLAT	V-UTP6A02B-FLAT	V-UTP6A02DB-FLAT	V-UTP6A02G-FLAT
3.0	V-UTP6A03S-FLAT	V-UTP6A03B-FLAT	V-UTP6A03DB-FLAT	V-UTP6A03G-FLAT
5.0	V-UTP6A05S-FLAT	V-UTP605B-FLAT		V-UTP6A05G-FLAT
7.0	V-UTP6A07S-FLAT	V-UTP6A07B-FLAT		
10.0	V-UTP6A10S-FLAT	V-UTP6A10B-FLAT		
15.0	V-UTP6A15S-FLAT	V-UTP6A15B-FLAT		
20.0	V-UTP6A20S-FLAT			

Cable length	Orange	Pink	Purple	Red
0.5	V-UTP6A005O-FLAT	V-UTP6A005PI-FLAT	V-UTP6A005P-FLAT	V-UTP6A005R-FLAT
1.0	V-UTP6A01O-FLAT	V-UTP6A01PI-FLAT	V-UTP6A01P-FLAT	V-UTP6A01R-FLAT
1.5				
2.0	V-UTP6A02O-FLAT		V-UTP6A02P-FLAT	V-UTP6A02R-FLAT
3.0	V-UTP6A03O-FLAT	V-UTP6A03PI-FLAT	V-UTP6A03P-FLAT	V-UTP6A03R-FLAT
5.0	V-UTP6A05O-FLAT		V-UTP6A05P-FLAT	V-UTP6A05R-FLAT
7.0	V-UTP6A07O-FLAT		V-UTP6A07P-FLAT	V-UTP6A07R-FLAT
10.0	V-UTP6A10O-FLAT		V-UTP6A10P-FLAT	V-UTP6A10R-FLAT
15.0	V-UTP6A15O-FLAT		V-UTP6A15P-FLAT	V-UTP6A15R-FLAT
20.0				

Cable length	White	Yellow
0.5	V-UTP6A005W-FLAT	V-UTP6A005Y-FLAT
1.0	V-UTP601W-FLAT-LSZ H	V-UTP6A01Y-FLAT
1.5		V-UTP6015Y-FLAT
2.0	V-UTP602W-FLAT-LSZ H	V-UTP6A02Y-FLAT
3.0	V-UTP6A03W-FLAT	V-UTP6A03Y-FLAT
5.0	V-UTP605W-FLAT-LSZ H	V-UTP6A05Y-FLAT

Cable length	White	Yellow
7.0	V-UTP607W-FLAT	V-UTP6A07Y-FLAT
10.0	V-UTP6A10W-FLAT	V-UTP6A10Y-FLAT
15.0	V-UTP6A15W-FLAT	V-UTP6A15Y-FLAT
20.0	V-UTP6A20W-FLAT	

Other images

