

MPN: MC-USBCDP3

# USB-C to DisplayPort adapter Cable

## 3m

The MicroConnect USB-C to DisplayPort Adapter Cable supports transmission from a USB-C source to a DisplayPort interface. For example, you can connect your notebook (equipped with USB Type-C) to your monitor, TV or projector (DisplayPort interface). Power supply is provided via the USB port, so no external power source is required. The Adapter Cable supports UHD resolutions up to 8K @ 30Hz / 4K @ 144 Hz. / 2K @ 165 Hz. This guarantees that the next gaming sessions and home cinema experiences will be displayed in high resolutions. When used with Mac devices, the cable supports mirroring or extension mode and when used with Windows devices it supports duplication or extension mode.



- Designed in Denmark
- Resolution: 8K@30 / 4K@144Hz
- Supports DP Alt-Mode
- Triple shielding
- Soft TPE jacket

## Specifications

Features	3D	Yes
AWG wire size	32	
Bandwidth	18000 MB/s	
Cable length	3 m	
Cable material	Copper	
Chipset	CYPD2119	
Connector 1	USB C	
Connector 1 gender	Male	
Connector 2	DisplayPort	
Connector 2 gender	Male	
Connector contacts plating	Nickel	
Connector gender	Male/Male	
Data transfer rate	18 Gbit/s	
DisplayPort version	1.2	
HDCP	Yes	
HDCP version	2.2	
Jacket material	Polyvinyl chloride (PVC)	
Maximum resolution	Supports 4K Ultra HD (60Hz), 4096 x 2160p Pixels	
Plug and Play	Yes	
Product colour	Black	
RoHS compliance	Yes	
Package dimensions	Depth (package,cm)	17.8 cm
	Gross Weight (Package, kg)	0.05 kg
	Height (package,cm)	1.8 cm

<b>Package dimensions</b>	<b>Width (package,cm)</b>	19.9 cm
<b>Product dimensions</b>	<b>Net Weight (Product, kg)</b>	0.04 kg
<b>Vendor information</b>	<b>Brand Name</b>	MicroConnect
	<b>Warranty</b>	25 Year(s)
<b>Weight &amp; dimensions</b>	<b>Cable diameter</b>	4.5 mm

## Other products in this series

Cable length	Black	White
0.5	MC-USBCDP05	
1.0	MC-USBCDP1	USB3.1CDPBW1
2.0	MC-USBCDP2	USB3.1CDPB2W
3.0	MC-USBCDP3	
5.0	MC-USBCDP5	

## Other images

