

MPN: V-UTP605-SLIM CAT6 U/UTP SLIM Network Cable 5m, Grey

CAT6 slim cables is perfect for installations where you need to save space in IT Racks and Cabinets. They cables are thinner and very flexible which provides the installer a better accessibility and quick and easy switching. Furthermore it improves the Air-Flow, and thereby reducing the risk of down-time. These cables are tested up to 250Mhz (CAT6 standard) and are backwards compatible with CAT5e and CAT5 cables. Each cable are manufactured with a snaggles with prevents the connector do be damaged when you install the cable through an installation with very less space.

- Suitable for Gigabit (10/100/1000 Mbit) network
- CAT6 tested up to 250 MHZ
- with snagless
- with gold-plated pins
- low cable diameter: 3,6mm
- very flexible, very easy to move to save space behind baseboards
- support PoE++



Specifications

AWG wire size	30
Cable length	5 m
Cable shielding	U/UTP (UTP)
Cable standard	Cat6
Conductor material	Copper
Conductor type	Stranded
Connector 1	RJ45
Connector 1 gender	Male
Connector 2	RJ45
Connector 2 gender	Male
Data transfer rate	10000 Mbit/s
Frequency	250 MHz
Jacket material	Polyvinyl chloride (PVC)
Product colour	Grey
RoHS compliance	Yes
Snagless cable boot	Yes
Product series	Slim Cable
Technical features	Short connector type with Latch Protection
Depth Verified	16.2 cm
Gross Weight Verified	0.098 kg
Height Verified	2.3 cm
Width Verified	27.5 cm
Quantity per pack	1 pc(s)
	Cable length Cable shielding Cable standard Conductor material Conductor type Connector 1 Connector 1 gender Connector 2 Connector 2 gender Data transfer rate Data transfer rate Frequency Jacket material Product colour RoHS compliance Snagless cable boot Product series Technical features Depth Verified Gross Weight Verified Height Verified

Please note that specifications are subject to change without prior notice.



Product dimensions	Net Weight (Product, kg)	0.088000000000000000000000000000000000
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Outer diameter	3.6 mm



Other products in this series

Cable length	Black	Grey	White
0.15	V-UTP60015S-SLIM-B ULK	V-UTP60015-SLIM	V-UTP60015W-SLIM
0.25	V-UTP60025S-SLIM	V-UTP60025-SLIM	V-UTP60025W-SLIM
0.5	V-UTP6005S-SLIM	V-UTP6005-SLIM	V-UTP6005W-SLIM
1.0	V-UTP601S-SLIM	V-UTP601-SLIM	V-UTP601W-SLIM
1.5	V-UTP6015S-SLIM	V-UTP6015-SLIM	V-UTP6015W-SLIM
2.0	V-UTP602S-SLIM	V-UTP602-SLIM	V-UTP602W-SLIM
3.0	V-UTP603S-SLIM	V-UTP603-SLIM	V-UTP603W-SLIM
5.0	V-UTP605S-SLIM	V-UTP605-SLIM	V-UTP605W-SLIM
7.5	V-UTP6075S-SLIM	V-UTP6075-SLIM	V-UTP6075W-SLIM
10.0	V-UTP610S-SLIM	V-UTP610-SLIM	V-UTP610W-SLIM
15.0	V-UTP615S-SLIM	V-UTP615-SLIM	V-UTP615W-SLIM
20.0	V-UTP620S-SLIM	V-UTP620-SLIM	V-UTP620W-SLIM



Other images

