

MPN: MC-USBCDP2

USB-C to DisplayPort adapter Cable 2m

The MicroConnect USB-C to DisplayPort Adapter Cable supports transmission from a USB-C source to a DisplayPort interface. For example, you can connect your notebook (equipped with USB Type-C) to your monitor, TV or projector (DisplayPort interface). Power supply is provided via the USB port, so no external power source is required. The Adapter Cable supports UHD resolutions up to 8K @ 30Hz. /4K @ 144 Hz. / 2K @ 165 Hz. This guarantees that the next gaming sessions and home cinema experiences will be displayed in high resolutions. When used with Mac devices, the cable supports mirroring or extension mode and when used with Windows devices it supports duplication or extension mode.



- Designed in Denmark
- Resolution: 8K@30 / 4K@144Hz
- Supports DP Alt-Mode
- Triple shielding
- Soft TPE jacket

Specifications

| F۵ | atı | Ire | c |
|----|-----|-----|---|

| Yes |
|--|
| 32 |
| 18000 MB/s |
| 2 m |
| Copper |
| CYPD2119 |
| USB C |
| Male |
| DisplayPort |
| Male |
| Nickel |
| Male/Male |
| 18 Gbit/s |
| 1.2 |
| Yes |
| 2.2 |
| Polyvinyl chloride (PVC) |
| Supports 4K Ultra HD (60Hz), 4096 x 2160p Pixels |
| Yes |
| Black |
| Yes |
| 17.8 cm |
| 0.05 kg |
| 1.8 cm |
| |



| Package dimensions | Width (package,cm) | 19.9 cm |
|---------------------|--------------------------|--------------|
| Product dimensions | Net Weight (Product, kg) | 0.04 kg |
| Vendor information | Brand Name | MicroConnect |
| | Warranty | 25 Year(s) |
| Weight & dimensions | Cable diameter | 4.5 mm |



Other products in this series

| Cable length | Black | White |
|--------------|-------------|--------------|
| 0.5 | MC-USBCDP05 | |
| 1.0 | MC-USBCDP1 | USB3.1CDPBW1 |
| 2.0 | MC-USBCDP2 | USB3.1CDPB2W |
| 3.0 | MC-USBCDP3 | |
| 5.0 | MC-USBCDP5 | |



Other images

