

MPN: HDM19191.5V1.4A90

HDMI 1.4 Cable, 90° angled, 1.5m

HDMI (High Definition Multimedia Interface) is one of the most used and acknowledged connections when transferring video and audio digitally from a source to a video display device or other compatible devices. This HDMI 1.4 cable is a High Performance and High Speed cable. It supports transfers up to 10.2 Gbps. It supports resolutions up to 4K@30Hz with HDCP 2.2, CEC, ARC and 3D. This cable is angled 90° and the design of the plug makes possible only to stick out 16mm from the wall. This is perfect when you need to install it in a flat screen, DVD player or anything like this close to the wall.



- 4K@30Hz (3840*2160p), including 3D video
- Gold-Plated Connectors
- Transfer rate: 10.2 Gbit/s
- HDCP 2.2
- Support ARC (Audio Return Channel)
- Support HDR (High Dynamic Range)
- Support CEC (Consumer Electronics Control)
- Integrated Ethernet channel which saves additional network or audio cables
- Angled plug 90°

Specifications

Features

3D	Yes	
Audio Return Channel (ARC)	Yes	
AWG wire size	30	
Cable length	1.5 m	
Cable material	Copper	
Connector 1	HDMI Type A (Standard)	
Connector 1 form factor	Straight	
Connector 1 gender	Male	
Connector 2	HDMI Type A (Standard)	
Connector 2 form factor	Angled	
Connector 2 gender	Male	
Connector contacts plating	Gold	
Data transfer rate	10.2 Gbit/s	
HDCP	Yes	
HDCP version	1.4/2.2	
HDMI Ethernet channel	Yes	
HDMI version	1.4	
High Dynamic Range (HDR) supported	Yes	
Maximum resolution	3840 x 2160 Pixels	
Product colour	Black	
Quantity per pack	1 pc(s)	
RoHS compliance	Yes	



Other features	Quantity	1
Package dimensions (verified)	Depth Verified	21 cm
	Gross Weight Verified	0.088 kg
	Height Verified	2.6 cm
	Width Verified	26.8 cm
Product dimensions	Net Weight (Product, kg)	0.078 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Cable diameter	6 mm



Other products in this series

Cable length	
0.5	HDM191905V1.4A90
1.0	HDM19191V1.4A90
1.5	HDM19191.5V1.4A90
2.0	HDM19192V1.4A90
3.0	HDM19193V1.4A
5.0	HDM19195V1.4A