


MPN: FIB222003-4

Optical Fibre Cable, SC-SC, Multimode, Duplex OM4 (Erica Violet), 3m

OM4 patch cords are used to connect high speed and legacy networks like 10/40/100 gigabit ethernet, fast ethernet and ethernet. This 50/125 OM4 multimode fiber optic cable is ideal for connecting 40G BIDI SR, 10G SR, QSFP+, SFP+ transceivers etc. for 10G/40G/100G Ethernet connections and is the preferred fiber specification for 40G/100G applications. Multimode patch cords are manufactured using LSZH cable and conform to Telcordia, EIA TIA or IEC standards.

- Designed for Data Centers, Industry and Computer Centers
- LSZH (Low Smoke Zero Halogen) and flame retardant
- RoHS compliant



Specifications

Features	Cable length	3 m
	Cladding diameter	125 µm
	Connector 1	SC/UPC
	Connector 1 gender	Male
	Connector 2	SC/UPC
	Connector 2 gender	Male
	Core diameter	50 µm
	Fiber mode structure	Multi-mode
	Fibre optic type	OM4
	Full duplex	Yes
	Halogen-free	Yes
	Insertion loss	0.3 dB
	Jacket material	Low smoke zero halogen (LSZH)
	Product colour	Violet
	RoHS compliance	Yes
Operational conditions	Operating temperature (T-T)	-40 - 85 °C
	Storage temperature (T-T)	-40 - 85 °C
Package dimensions (verified)	Depth Verified	16.9 cm
	Gross Weight Verified	0.04 kg
	Height Verified	2.8 cm
	Width Verified	20.2 cm
Packaging data	Quantity	1
Product dimensions	Net Weight (Product, kg)	0.03 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)

Weight & dimensions

Cable diameter

2 mm

Other products in this series

Cable length	OM1	OM2	OM3	OM4
0.5	FIB2200005	FIB2220005-2	FIB2220005	FIB2220005-4
1.0	FIB2200001	FIB2220001-2	FIB2220001	FIB2220001-4
2.0	FIB2200002	FIB2220002-2	FIB2220002	FIB2220002-4
2.5				FIB2220025-4
3.0	FIB2200003	FIB2220003-2	FIB2220003	FIB2220003-4
4.0			FIB2220004	
5.0	FIB2200005	FIB2220005-2	FIB2220005	FIB2220005-4
7.0	FIB2200007	FIB2220007-2	FIB2220007	FIB2220007-4
10.0	FIB2200010	FIB2220010-2	FIB2220010	FIB2220010-4
15.0	FIB2200015	FIB2220015-2	FIB2220015	FIB2220015-4
20.0	FIB2200020	FIB2220020-2	FIB2220020	FIB2220020-4
25.0	FIB2200025	FIB2220025-2	FIB2220025	FIB2220025-4

Cable length	OM5
0.5	FIB5710005
1.0	FIB5710001
2.0	FIB5710002
2.5	
3.0	FIB5710003
4.0	
5.0	FIB5710005
7.0	FIB5710007
10.0	FIB5710010
15.0	FIB5710015
20.0	FIB5710020
25.0	FIB5710025