

MPN: MC-HMSW501B

HDMI2.0 5 x 1 Slim Aluminium 4K 60HZ/HDCP 2.2 Switcher

This is an intelligent HDMI2.0 5X1 Amplifier Switcher. It allows five HDMI source devices switched into one HD monitor or projector.

This HDMI2.0 Amplifier Switcher has many features that enable it to perform in a superior manner.

- Supports highest video resolution up to 4K60Hz
- Support 3D all format, including 1080p@23.98/24Hz, 720p@ 59.94/60Hz/50Hz
- HDCP pass-through.



Specifications

| Features | Bandwidth | 600 MHz |
|----------------------------------|-----------------------------------|--|
| | Bandwidth | 6 Gbit/s |
| | HDCP | Yes |
| | HDCP version | 2.2 |
| | Maximum refresh rate | 60 Hz |
| | Maximum resolution | 4096 x 2160 Pixels |
| | Product colour | Aluminium |
| | Supported video modes | 480i, 480p, 576i, 576p, 720p, 1080p, 2160p |
| Operational conditions | Operating relative humidity (H-H) | 10 - 85 % |
| | Operating temperature (T-T) | 0 - 35 °C |
| | Storage relative humidity (H-H) | 5 - 90 % |
| | Storage temperature (T-T) | -10 - 80 °C |
| Package dimensions (verified) | Depth Verified | 8.4 cm |
| | Gross Weight Verified | 0.26 kg |
| | Height Verified | 7.8 cm |
| | Width Verified | 12.2 cm |
| Packaging content | AC adapter included | Yes |
| | Manual | Yes |
| | Number of products included | 1 pc(s) |
| | Quantity per pack | 1 pc(s) |
| | Remote control included | Yes |
| Ports & interfaces | DC-in jack | Yes |
| | HDMI in | 5 |
| | HDMI ports quantity | 5 |
| | HDMI version | 2.0 |
| | | |



| Ports & interfaces | Video port type | HDMI |
|--------------------|--------------------------|--------------|
| Power | Power consumption (max) | 5 Watt |
| Product dimensions | Net Weight (Product, kg) | 0.23 kg |
| Vendor information | Brand Name | MicroConnect |
| | Warranty | 3 Year(s) |



Other images



