

MPN: MC-DP-HDMI-2004K

## 4K DisplayPort 1.4 - HDMI 2.0 Cable 2m

This high performance DisplayPort to HDMI digital HD cable enables you to convert DisplayPort signals to HDMI signals. It could be for transmitting HD video signals from a computer to a monitor with HDMI interface.

- Max. Resolution: 4K Ultra HD 2160p (60 Hz)
- Gold-Plated connectors
- Plug with lock for secure connections
- Signal Direction: DisplayPort to HDMI
- Support DisplayPort 1.2, backwards compatible with 1.1



## Specifications

Features		
3D		Yes
AWG wire size		30
Bandwidth		18000 MB/s
Bandwidth		225 MHz
Cable length		2 m
Cable material		Copper
Chipset		SCDH60V
Connector 1		DisplayPort
Connector 1 form factor		Straight
Connector 1 gender		Male
Connector 2		HDMI
Connector 2 form factor		Straight
Connector 2 gender		Male
Connector contacts plating		Gold
Data transfer rate		18 Gbit/s
DisplayPort Content Protection (DPCP)		Yes
DisplayPort version		1.4
HDCP		Yes
HDCP version		1.4/2.2
HDMI version		2.0
High Dynamic Range (HDR) supported		Yes
Jacket material		Polyvinyl chloride (PVC)
Maximum refresh rate		60 Hz
Maximum resolution		4096 x 2160 Pixels
Number of shielding layers		3
Plug and Play		Yes
Product colour		Black

<b>Features</b>	<b>Supported graphics resolutions</b>	4096 x 2160
	<b>Supported video modes</b>	2160p
<b>Package dimensions</b>	<b>Depth (package,cm)</b>	20.9 cm
	<b>Gross Weight (Package, kg)</b>	0.15 kg
	<b>Height (package,cm)</b>	2.4 cm
	<b>Width (package,cm)</b>	26.9 cm
<b>Packaging data</b>	<b>Quantity per pack</b>	1 pc(s)
<b>Product dimensions</b>	<b>Net Weight (Product, kg)</b>	0.12 kg
<b>Sustainability</b>	<b>Sustainability certificates</b>	RoHS, CE, REACH
<b>Vendor information</b>	<b>Brand Name</b>	MicroConnect
	<b>Warranty</b>	25 Year(s)
<b>Weight &amp; dimensions</b>	<b>Cable diameter</b>	6 mm

## Other products in this series

Cable length	
0.5	MC-DP-HDMI-0504K
1.0	MC-DP-HDMI-1004K
2.0	MC-DP-HDMI-2004K
3.0	MC-DP-HDMI-3004K
5.0	MC-DP-HDMI-5004K

## Other images

