

MPN: DPVGA15CMW

Active Displayport 1.2 to VGA Adapter

This MicroConnect Displayport to VGA adapter allows you to display content from a device with Displayport output to a monitor/Projector with a VGA input.

- Max resolution: Full HD 1920*1080p@60Hz
- Displayport to VGA
- Cable Length 15 cm
- Active
- Don´t support audio
- Plug and play: With full support for plug-and-play installation, this PC video adapter is easy to setup with no software, drivers etc. Support DP 1.2, downward compatible with 1.1
- Plug with lock for secure connections



Specifications

0-	ıtı	11	00

3D	Yes
AWG wire size	32
Cable length	0.15 m
Cable material	Copper
Chipset	ANX9832
Connector 1	VGA (D-Sub)
Connector 1 gender	Female
Connector 2	DisplayPort
Connector 2 gender	Male
Connector contacts plating	Gold
Converter type	Active video converter
DisplayPort Content Protection (DPCP)	Yes
DisplayPort version	1.2
HDCP	Yes
HDCP version	1.2
Jacket material	Polyvinyl chloride (PVC)
Maximum refresh rate	60 Hz
Maximum resolution	1920 x 1080 Pixels
Product colour	White
RoHS compliance	Yes
Supported graphics resolutions	1920 x 1080 (HD 1080)
Depth Verified	12 cm
Gross Weight Verified	0.038 kg
Height Verified	2.4 cm

Package dimensions (verified)

Packaging data

Depth Verified	12 cm
Gross Weight Verified	0.038 kg
Height Verified	2.4 cm
Width Verified	15.8 cm
Quantity per pack	1 pc(s)



Product dimensions	Net Weight (Product, kg)	0.0279999999999997 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
		20 .00.(0)
Weight & dimensions	Cable diameter	4.8 mm



Other products in this series

Cable length	
0.07	DPVGA15CM
0.15	DPVGA15CMW



Other images

