

MPN: V-UTP6005W-SLIM

## CAT6 U/UTP SLIM Network Cable 0.5m, White

CAT6 slim cables is perfect for installations where you need to save space in IT Racks and Cabinets. They cables are thinner and very flexible which provides the installer a better accessibility and quick and easy switching. Furthermore it improves the Air-Flow, and thereby reducing the risk of down-time. These cables are tested up to 250Mhz (CAT6 standard) and are backwards compatible with CAT5e and CAT5 cables. Each cable are manufactured with a snaggles with prevents the connector do be damaged when you install the cable through an installation with very less space.

- Suitable for Gigabit (10/100/1000 Mbit) network
- CAT6 tested up to 250 MHZ
- with snagless
- with gold-plated pins
- low cable diameter: 3,6mm
- very flexible, very easy to move to save space behind baseboards
- support PoE++



## **Specifications**

F۵	at	ıır	29

AWG wire size	30/7
Cable length	0.5 m
Cable shielding	U/UTP (UTP)
Cable standard	Cat6
Conductor material	Copper
Conductor type	Stranded
Connector 1	RJ45
Connector 1 gender	Male
Connector 2	RJ45
Connector 2 gender	Male
Connector shielding	No
Data transfer rate	10000 Mbit/s
Frequency	250 MHz
Jacket material	Polyvinyl chloride (PVC)
Product colour	White
RoHS compliance	Yes
Snagless cable boot	Yes
Product series	Slim Cable

Other features

Package dimensions (verified)

Technical features	Short connector type with Latch Protection		
Depth Verified	17.9 cm		
Cross Weight Verified	0.011		
Gross Weight Verified	0.01 kg		
Height Verified	1.5 cm		
rieight vermeu	1.5 6111		
Width Verified	19.9 cm		



Packaging data	Quantity per pack	1 pc(s)
Product dimensions	Net Weight (Product, kg)	0.009 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Outer diameter	3.6 mm



## Other products in this series

Cable length	Black	Grey	White
0.15	V-UTP60015S-SLIM-B ULK	V-UTP60015-SLIM	V-UTP60015W-SLIM
0.25	V-UTP60025S-SLIM	V-UTP60025-SLIM	V-UTP60025W-SLIM
0.5	V-UTP6005S-SLIM	V-UTP6005-SLIM	V-UTP6005W-SLIM
1.0	V-UTP601S-SLIM	V-UTP601-SLIM	V-UTP601W-SLIM
1.5	V-UTP6015S-SLIM	V-UTP6015-SLIM	V-UTP6015W-SLIM
2.0	V-UTP602S-SLIM	V-UTP602-SLIM	V-UTP602W-SLIM
3.0	V-UTP603S-SLIM	V-UTP603-SLIM	V-UTP603W-SLIM
5.0	V-UTP605S-SLIM	V-UTP605-SLIM	V-UTP605W-SLIM
7.5	V-UTP6075S-SLIM	V-UTP6075-SLIM	V-UTP6075W-SLIM
10.0	V-UTP610S-SLIM	V-UTP610-SLIM	V-UTP610W-SLIM
15.0	V-UTP615S-SLIM	V-UTP615-SLIM	V-UTP615W-SLIM
20.0	V-UTP620S-SLIM	V-UTP620-SLIM	V-UTP620W-SLIM



## Other images

