

MPN: HDM19193V2.0A

HDMI 2.0 Cable, 270° angled, 3m

HDMI (High Definition Multimedia Interface) is one of the most used and acknowledged connections when transferring video and audio digitally from a source to a video display device or other compatible devices. This HDMI 2.0 cable is a High Performance and High Speed cable. It supports transfers up to 18 Gbps. It supports resolutions up to 4K@60Hz with HDCP 2.2, CEC, ARC and 3D. This cable is angled 270° and the design of the plug makes possible only to stick out 16mm from the wall. This is perfect when you need to install it in a flat screen, DVD player or anything like this close to the wall.



- 4K2K (60Hz), 4K2K (30Hz), 1080p (3D) (3840*2160p), including 3D video
- Gold-Plated Connectors
- Transfer rate : 18 Gbit/s
- HDCP 2.2
- Support ARC (Audio Return Channel)
- Support HDR (High Dynamic Range)
- Support CEC (Consumer Electronics Control)
- Integrated Ethernet channel which saves additional network or audio cables
- Angled plug 270°

Specifications

Features		
3D		Yes
Audio Return Channel (ARC)		Yes
AWG wire size		30
Cable length		3 m
Cable material		Copper
Connector 1		HDMI Type A (Standard)
Connector 1 form factor		Straight
Connector 1 gender		Male
Connector 2		HDMI Type A (Standard)
Connector 2 form factor		Angled
Connector 2 gender		Male
Connector contacts plating		Gold
Data transfer rate		18 Gbit/s
HDCP		Yes
HDCP version		2.2
HDMI Ethernet channel		Yes
HDMI version		2.0
High Dynamic Range (HDR) supported		Yes
Maximum refresh rate		60 Hz
Maximum resolution		3840 x 2160 Pixels
Product colour		Black
Quantity per pack		1 pc(s)

Features	RoHS compliance	Yes
Other features	Quantity	1
Package dimensions	Depth (package,cm)	20.9 cm
	Gross Weight (Package, kg)	0.14 kg
	Height (package,cm)	4.5 cm
	Width (package,cm)	26.8 cm
Product dimensions	Net Weight (Product, kg)	0.038000000000000006 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Cable diameter	6 mm

Other products in this series

Cable length	
0.5	HDM191905V2.0A
1.0	HDM19191V2.0A
1.5	HDM191915V2.0A
2.0	HDM19192V2.0A
3.0	HDM19193V2.0A
5.0	HDM19195V2.0A