

MPN: HDM19193V2.0C

High Speed HDMI 2.0 A to HDMI Mini C cable, with ethernet 3m

HDMI (High Definition Multimedia Interface) is one of the most used and acknowledged connections when transferring video and audio digitally from a source to a video display device or other compatible devices. This HDMI 2.0 cable is a High Performance and High Speed cable. It supports transfers up to 18Gbps. It supports resolutions up to 4K@60Hz with HDCP 2.2, CEC, ARC and 3D.



- 4K@60Hz (4096*2160p), including 3D video
- Transfer rate : 18 Gbit/s
- HDCP 2.2
- Support ARC (Audio Return Channel)
- Support HDR (High Dynamic Range)
- Support CEC (Consumer Electronics Control)
- Integrated Ethernet channel which saves additional network or audio cables

Specifications

Features	3D	Yes
	Audio Return Channel (ARC)	Yes
	Cable length	3 m
	Certification	CEC
	Connector 1	HDMI Type A (Standard)
	Connector 1 form factor	Straight
	Connector 1 gender	Male
	Connector 2	HDMI Type C (Mini)
	Connector 2 form factor	Straight
	Connector 2 gender	Male
	Connector contacts plating	Gold
	Data transfer rate	18 Gbit/s
	HDCP	Yes
	HDCP version	2.2
	HDMI version	2.0
	High Dynamic Range (HDR) supported	Yes
	Maximum resolution	4096 x 2160 Pixels
	Plug and Play	Yes
	Product colour	Black
	Quantity per pack	1 pc(s)
Supported graphics resolutions	4096 x 2160	
Supported video modes	2160p	
Other features	Quantity	1
Package dimensions	Depth (package,cm)	20.9 cm

Package dimensions	Gross Weight (Package, kg)	0.15 kg
	Height (package,cm)	4 cm
	Width (package,cm)	27 cm
Product dimensions	Net Weight (Product, kg)	0.13999999999999999 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)

Other products in this series

Cable length	
1.0	HDM19191V2.0C
2.0	HDM19192V2.0C
3.0	HDM19193V2.0C
5.0	HDM19195V2.0C