

MPN: HDM191925V2.0OP

Premium Optic Fiber HDMI 2.0 Cable

25m

This active optical HDMI 2.0 cable connects devices across long distances up to 100m without data loss – even in sensitive applications. It contains both fiber optic and copper cores, it is lightweight, flexible and has an ultra-small bend radius which makes it perfectly suitable for all kinds of installations.

- Supporting 4K60Hz, 18Gbps
- Sampling : YUV 4:4:4
- Outer Diameter: 4,5mm, very flexible
- Compatible with HDMI 2.0 standard
- Supports EDID, CEC, HDCP (2.2), HDR (High Dynamic Range), HEC, ARC
- Hybrid optical cable with fiber and copper wire
- Has Source & Display clearly printed on the connector for easy identification
- No loss of signal – delivering crystal clear digital images instantly
- Low RFI / EMI profile for sensitive applications
- Has high pulling strength and compression load



Specifications

| Features | 3D | Yes |
|------------------------------------|--------------------------|-----|
| Audio Return Channel (ARC) | Yes | Yes |
| Cable jacket material | Polyvinyl chloride (PVC) | |
| Cable length | 25 m | |
| Cable material | Fiber optic | |
| Connector 1 | HDMI Type A (Standard) | |
| Connector 1 form factor | Straight | |
| Connector 1 gender | Male | |
| Connector 2 | HDMI Type A (Standard) | |
| Connector 2 form factor | Straight | |
| Connector 2 gender | Male | |
| Connector contacts plating | Gold | |
| Data transfer rate | 18 Gbit/s | |
| Dolby technologies | Dolby TrueHD | |
| HDCP | Yes | |
| HDCP version | 1.4/2.2 | |
| HDMI version | 2.0 | |
| High Dynamic Range (HDR) supported | Yes | |
| Maximum refresh rate | 60 Hz | |
| Maximum resolution | 4096 x 2160 Pixels | |
| Plug and Play | Yes | |
| Product colour | Black | |
| Quantity per pack | 1 pc(s) | |

| | | |
|--|---------------------------------------|-----------------------|
| Features | RoHS compliance | Yes |
| | Supported graphics resolutions | 4096 x 2160 |
| Other features | Quantity | 1 |
| Package dimensions (verified) | Depth Verified | 22.7 cm |
| | Gross Weight Verified | 1.068 kg |
| | Height Verified | 7.6 cm |
| | Width Verified | 24 cm |
| Product dimensions | Net Weight (Product, kg) | 0.9680000000000001 kg |
| Vendor information | Brand Name | MicroConnect |
| | Warranty | 25 Year(s) |
| Weight & dimensions | Cable diameter | 4.5 mm |

Other products in this series

| Cable length | |
|--------------|------------------|
| 10.0 | HDM191910V2.0OP |
| 15.0 | HDM191915V2.0OP |
| 20.0 | HDM191920V2.0OP |
| 25.0 | HDM191925V2.0OP |
| 30.0 | HDM191930V2.0OP |
| 40.0 | HDM191940V2.0OP |
| 50.0 | HDM191950V2.0OP |
| 70.0 | HDM191970V2.0OP |
| 75.0 | HDM191975V2.0OP |
| 100.0 | HDM1919100V2.0OP |

Other images

