

MPN: USBAB3

USB2.0 A-B Cable, 3m

This USB cable is for connection of external USB devices with USB 2.0 Type B sockets (e.g. scanners or printers) to the USB Host (USB hub, Wall plug with USB, Computer or Notebook). Data transmission up to 0.48 Gbit/s.



Overview of USB Generations

The naming conventions for our USB cables have been updated to match the latest USB standards.

- USB 2.0 supports transfer speeds of up to 480 Mbps.
- USB 3.0 and USB 3.1 Gen 1 are now identified as USB 3.2 Gen 1, offering data transfer speeds of up to 5 Gbps.
- USB 3.1 and USB 3.1 Gen 2 have been renamed to USB 3.2 Gen 2, with transfer rates reaching up to 10 Gbps.
- The new USB 3.2 Gen 2x2 standard supports transfer speeds of up to 20 Gbps.
- USB 4 offers even higher speeds, with rates of up to 40 Gbps, along with better compatibility with Thunderbolt 3.

USB 2.0, USB 3.0, USB 3.1, USB 3.2, and USB 4 cables and devices are all compatible with each other when using either a USB Type-A or USB Type-C host interface.

- For syncing and charging
- Hi-Speed data transfers up to 0.48 Gbit/s
- Suitable for many peripheral devices such as printers or scanners

Specifications

| | | | |
|-----------------|--------------------------------------|--|----------|
| Features | AWG wire size | 28 | |
| | Cable jacket material | Polyvinyl chloride (PVC) | |
| | Cable length | 3 m | |
| | Compatible products | HP/Compaq LaserJet 1010, 1012, 1015, 1150, 1300, 1320, 2200, 3015, 3020, 3030, 3380, 4250, 4350, P2055 | |
| | Conductor material | Copper | |
| | Connector 1 | USB A | |
| | Connector 1 form factor | Straight | |
| | Connector 1 gender | Male | |
| | Connector 2 | USB B | |
| | Connector 2 form factor | Straight | |
| | Connector 2 gender | Male | |
| | Connector contacts plating | Nickel | |
| | Maximum data transfer rate | 480 Mbit/s | |
| | Plug and Play | Yes | |
| | Product colour | White | |
| | RoHS compliance | Yes | |
| | USB version | USB 2.0 | |
| | Package dimensions (verified) | Depth Verified | 17.3 cm |
| | | Gross Weight Verified | 0.084 kg |

| | | |
|--|---------------------------------|--------------|
| Package dimensions (verified) | Height Verified | 2.6 cm |
| | Width Verified | 19.9 cm |
| Product dimensions | Net Weight (Product, kg) | 0.08 kg |
| Vendor information | Brand Name | MicroConnect |
| | Warranty | 25 Year(s) |

Other products in this series

| Cable length | Black | Grey | White |
|--------------|--------------|--------|-----------|
| 0.1 | USBAB01B | | |
| 0.3 | USBAB03B | | USBAB03 |
| 0.5 | USBAAB05B-AG | | USBAB05 |
| 1.0 | USBAB1B | | USBAB1 |
| 1.8 | USBAB2B | | USBAB2 |
| 3.0 | USBAB3B | | USBAB3 |
| 5.0 | USBAB5B | USBAB5 | USBAB5-AG |