

MPN: V-UTPGA005R-FLAT CAT6a U/UTP FLAT Network Cable 0.5m, Red

CAT6a Flat cables is an updated version of CAT6 flat cables. These Flat cables are perfect for installations where you need to save space in IT Racks and Cabinets. They are also very ideal to behind baseboards to be laid under carpets or other floors. All the cables are tested up to 500Mhz / 1000 Mbps (CAT6a standard) and are backwards compatible with CAT6, CAT5e and CAT5 cables. Each cable are manufactured with a snaggles with prevents the connector do be damaged when you install the cable through an installation with very less space.

- LSZH (Low Smoke Zero Halogen)
- CAT6a tested up to 500 MHz
- with slimline strain relief, with gold plated PINs
- perfect for installations where you need to save space in IT Racks and Cabinets



Specifications

Features	AWG wire size	30
	Cable length	0.5 m
	Cable shielding	U/UTP (UTP)
	Cable standard	Cat6a
	Certification	EIA/TIA 568
	Conductor material	Copper
	Conductor type	Stranded
	Connector 1	RJ45
	Connector 1 gender	Male
	Connector 2	RJ45
	Connector 2 gender	Male
	Data transfer rate	10000 Mbit/s
	Frequency	500 MHz
	Jacket material	Polyvinyl chloride (PVC)
	Product colour	Red
	RoHS compliance	Yes
Other features	Product series	Flat Cable
Package dimensions	Depth Verified	12.1 cm
(verified)	Gross Weight Verified	0.018 kg
	Height Verified	1.5 cm
	Width Verified	15.9 cm
Packaging data	Quantity per pack	1 pc(s)
Product dimensions	Net Weight (Product, kg)	0.007999999999999998 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)

Please note that specifications are subject to change without prior notice.





Other products in this series

Cable length	Black	Blue	Brown	Green
0.5	V-UTP6A005S-FLAT	V-UTP6005B-FLAT	V-UTP6A005DB-FLAT	V-UTP6A005G-FLAT
1.0	V-UTP6A01S-FLAT	V-UTP6A01B-FLAT	V-UTP601DB-FLAT	V-UTP601G-FLAT
1.5		V-UTP6015B-FLAT		
2.0	V-UTP6A02S-FLAT	V-UTP6A02B-FLAT	V-UTP6A02DB-FLAT	V-UTP6A02G-FLAT
3.0	V-UTP6A03S-FLAT	V-UTP6A03B-FLAT	V-UTP6A03DB-FLAT	V-UTP6A03G-FLAT
5.0	V-UTP6A05S-FLAT	V-UTP605B-FLAT		V-UTP6A05G-FLAT
7.0	V-UTP6A07S-FLAT	V-UTP6A07B-FLAT		
10.0	V-UTP6A10S-FLAT	V-UTP6A10B-FLAT		
15.0	V-UTP6A15S-FLAT	V-UTP6A15B-FLAT		
20.0	V-UTP6A20S-FLAT			

Cable length	Orange	Pink	Purple	Red
0.5	V-UTP6A005O-FLAT	V-UTP6A005PI-FLAT	V-UTP6A005P-FLAT	V-UTP6A005R-FLAT
1.0	V-UTP6A01O-FLAT	V-UTP6A01PI-FLAT	V-UTP6A01P-FLAT	V-UTP6A01R-FLAT
1.5				
2.0	V-UTP6A02O-FLAT		V-UTP6A02P-FLAT	V-UTP6A02R-FLAT
3.0	V-UTP6A03O-FLAT	V-UTP6A03PI-FLAT	V-UTP6A03P-FLAT	V-UTP6A03R-FLAT
5.0	V-UTP6A05O-FLAT		V-UTP6A05P-FLAT	V-UTP6A05R-FLAT
7.0	V-UTP6A07O-FLAT		V-UTP6A07P-FLAT	V-UTP6A07R-FLAT
10.0	V-UTP6A10O-FLAT		V-UTP6A10P-FLAT	V-UTP6A10R-FLAT
15.0	V-UTP6A15O-FLAT		V-UTP6A15P-FLAT	V-UTP6A15R-FLAT
20.0				

Cable length	White	Yellow
0.5	V-UTP6A005W-FLAT	V-UTP6A005Y-FLAT
1.0	V-UTP601W-FLAT-LSZ H	V-UTP6A01Y-FLAT
1.5		V-UTP6015Y-FLAT
2.0	V-UTP602W-FLAT-LSZ H	V-UTP6A02Y-FLAT
3.0	V-UTP6A03W-FLAT	V-UTP6A03Y-FLAT
5.0	V-UTP605W-FLAT-LSZ H	V-UTP6A05Y-FLAT

Please note that specifications are subject to change without prior notice.



Cable length	White	Yellow
7.0	V-UTP607W-FLAT	V-UTP6A07Y-FLAT
10.0	V-UTP6A10W-FLAT	V-UTP6A10Y-FLAT
15.0	V-UTP6A15W-FLAT	V-UTP6A15Y-FLAT
20.0	V-UTP6A20W-FLAT	