

MPN: HDM19195V2.0A

HDMI 2.0 Cable, 270° angled, 5m

HDMI (High Definition Multimedia Interface) is one of the most used and acknowledged connections when transferring video and audio digitally from a source to a video display device or other compatible devices. This HDMI 2.0 cable is a High Performance and High Speed cable. It supports transfers up to 10.2 Gbps. It supports resolutions up to 4K@30Hz with HDCP 2.2, CEC, ARC and 3D. This cable is angled 270° and the design of the plug makes possible only to stick out 16mm from the wall. This is perfect when you need to install it in a flat screen, DVD player or anything like this close to the wall.



• Resolution up to: 4K2K (30Hz), 1080p (3D)

Specifications

at	es

Other features

Package dimensions

3D	Yes	
Audio Return Channel (ARC)	Yes	
AWG wire size	30	
Cable length	5 m	
Cable material	Copper	
Connector 1	HDMI Type A (Standard)	
Connector 1 form factor	Straight	
Connector 1 gender	Male	
Connector 2	HDMI Type A (Standard)	
Connector 2 form factor	Angled	
Connector 2 gender	Male	
Connector contacts plating	Gold	
Data transfer rate	18 Gbit/s	
HDCP	Yes	
HDCP version	2.2	
HDMI Ethernet channel	Yes	
HDMI version	2.0	
High Dynamic Range (HDR) supported	Yes	
Maximum refresh rate	60 Hz	
Maximum resolution	3840 x 2160 Pixels	
Product colour	Black	
Quantity per pack	1 pc(s)	
RoHS compliance	Yes	
Quantity	1	
Depth (package,cm)	20.9 cm	
Gross Weight (Package, kg)	0.23 kg	
Height (package,cm)	4.2 cm	



Package dimensions	Width (package,cm)	26.5 cm
Product dimensions	Net Weight (Product, kg)	0.2 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Cable diameter	6 mm



Other products in this series

Cable length	
0.5	HDM191905V2.0A
1.0	HDM19191V2.0A
1.5	HDM191915V2.0A
2.0	HDM19192V2.0A
3.0	HDM19193V2.0A
5.0	HDM19195V2.0A