

MPN: DP-MMG-4000MBV1.4OP

Premium Optic Mini DisplayPort 1.4 to DisplayPort Cable, 40m

This active optical Mini DisplayPort – DisplayPort 1.4 Cable connects devices across long distances up to 100m without data loss – even in sensitive applications. It contains both fiber optic and copper cores, it is lightweight, flexible and has an ultra-small bend radius which makes it perfectly suitable for all kinds of installations. This cable also comes with an additional DisplayPort adapter, which makes it possible to use it also as a DisplayPort Male to DisplayPort male cable if needed.



- Supporting 8K60Hz, 32.4Gbps
- Sampling : YUV 4:4:4
- Outer Diameter: 4,8mm, very flexible
- Support DP1.4 standard, bandwidth can reach 8.1 Gbps per channel
- Supports EDID, HDCP (2.2), HDR (High Dynamic
- Hybrid optical cable with fibre and copper wire
- Has Source & Display clearly printed on the connector for easy identification
- No loss of signal – delivering crystal clear digital images instantly
- Low RFI / EMI profile for sensitive applications
- Has high pulling strength and compression load
- as an extra feature it comes with a DisplayPort adapter, which enables you to use it from a DisplayPort source to a DisplayPort monitor.

Specifications

Features	3D	Yes
Cable length		40 m
Cable material		Fiber optic
Connector 1		DisplayPort
Connector 1 gender		Male
Connector 2		DisplayPort
Connector 2 gender		Male
Connector contacts plating		Gold
Data transfer rate		32.4 Gbit/s
DisplayPort Content Protection (DPCP)		Yes
DisplayPort version		1.4
HDCP		Yes
Jacket material		Polyvinyl chloride (PVC)
Latching connectors		Yes
Maximum refresh rate		60 Hz
Maximum resolution		7680 x 4320 Pixels
Product colour		Black
RoHS compliance		Yes
Package dimensions	Gross Weight (Package, kg)	1.25 kg

Packaging data	Cable diameter	4.8 mm
	Quantity per pack	1 pc(s)
Product dimensions	Net Weight (Product, kg)	1.2 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)

Other images

