

8		7		6		5		4		3		2		1																																																							
RoHS compliant								REV		MODIFICATION				DATE																																																							
										NEW				2022.11.28																																																							
												<table border="1"> <tr> <td>DP-DVI-MM-100</td> <td>1000±30MM</td> </tr> <tr> <td>DP-DVI-MM-200</td> <td>2000±30MM</td> </tr> <tr> <td>DP-DVI-MM-300</td> <td>3000±30MM</td> </tr> <tr> <td>DP-DVI-MM-500</td> <td>5000±30MM</td> </tr> </table>		DP-DVI-MM-100	1000±30MM	DP-DVI-MM-200	2000±30MM	DP-DVI-MM-300	3000±30MM	DP-DVI-MM-500	5000±30MM																																																
DP-DVI-MM-100	1000±30MM																																																																				
DP-DVI-MM-200	2000±30MM																																																																				
DP-DVI-MM-300	3000±30MM																																																																				
DP-DVI-MM-500	5000±30MM																																																																				
<p>Note: (DP TO DVI by computer testing)</p> <ol style="list-style-type: none"> <li>Signal source resolution UXGA: <b>1280*720p, 1920*1080P</b></li> <li>Refresh rate:60HZ</li> <li>The video shows no signal jitter, smear, double image, lack of color and other display abnormalities.</li> </ol>												<h3>PIN Assignment</h3> <table border="1"> <thead> <tr> <th>DP MALE</th> <th>DP MALE</th> </tr> </thead> <tbody> <tr><td>3</td><td>1</td></tr> <tr><td>1</td><td>2</td></tr> <tr><td>15</td><td>6</td></tr> <tr><td>16</td><td>7</td></tr> <tr><td>6</td><td>9</td></tr> <tr><td>4</td><td>10</td></tr> <tr><td>12</td><td>17</td></tr> <tr><td>10</td><td>18</td></tr> <tr><td>7</td><td>23</td></tr> <tr><td>9</td><td>24</td></tr> <tr><td>18</td><td>14</td></tr> <tr><td>17</td><td>15</td></tr> <tr><td>19</td><td>16</td></tr> </tbody> </table>		DP MALE	DP MALE	3	1	1	2	15	6	16	7	6	9	4	10	12	17	10	18	7	23	9	24	18	14	17	15	19	16																												
DP MALE	DP MALE																																																																				
3	1																																																																				
1	2																																																																				
15	6																																																																				
16	7																																																																				
6	9																																																																				
4	10																																																																				
12	17																																																																				
10	18																																																																				
7	23																																																																				
9	24																																																																				
18	14																																																																				
17	15																																																																				
19	16																																																																				
<table border="1"> <tr> <td>⑤</td> <td></td> <td>Plastic</td> <td>Black PVC</td> <td>25g</td> <td>PROJ:</td> <td></td> <td>TOLERANCE:</td> <td>XX= XXX=</td> <td colspan="2">PROUCT NAME: DP M TO DVI M</td> </tr> <tr> <td>④</td> <td></td> <td>Plastic</td> <td>LDPE INNER MOLDED</td> <td>10g</td> <td>SCALE:</td> <td>NONE</td> <td>REV:</td> <td>A2</td> <td colspan="2">PART NO: DP-DVI-MM-xxx</td> </tr> <tr> <td>③</td> <td></td> <td>CONNECTOR</td> <td>DP 20P Male Pin Gold Plating Shell Gold Plating, Black Insulation, Black ABS CASE</td> <td>1set</td> <td>UNIT:</td> <td>MM</td> <td>SHEET:</td> <td>1/1</td> <td colspan="2">CUST: EET</td> </tr> <tr> <td>②</td> <td></td> <td>CONNECTOR</td> <td>DVI24+1 M 25PIN Pin Gold Plating /Shell Gold Plating, Black Insulation, PVC MOLDED, SCREWS:2PCS, Nickel Plating</td> <td>1PCS</td> <td colspan="2">SUST APPROVED:</td> <td colspan="4" rowspan="3"> </td> </tr> <tr> <td>①</td> <td></td> <td>CABLE</td> <td>CABLE 32AWG(1/0.20BC+AL)*4P+1/0.20*6C+AL PVC OD:5.5MM</td> <td>L=MM</td> <td colspan="2">APPROVED: Emil Olsen</td> </tr> <tr> <td>NO.</td> <td>PART NO.</td> <td>MANE</td> <td>DESCRIPTION</td> <td>Q'TY</td> <td colspan="2">DRAWING: YUCHENGSHI 2022.11.28</td> </tr> </table>												⑤		Plastic	Black PVC	25g	PROJ:		TOLERANCE:	XX= XXX=	PROUCT NAME: DP M TO DVI M		④		Plastic	LDPE INNER MOLDED	10g	SCALE:	NONE	REV:	A2	PART NO: DP-DVI-MM-xxx		③		CONNECTOR	DP 20P Male Pin Gold Plating Shell Gold Plating, Black Insulation, Black ABS CASE	1set	UNIT:	MM	SHEET:	1/1	CUST: EET		②		CONNECTOR	DVI24+1 M 25PIN Pin Gold Plating /Shell Gold Plating, Black Insulation, PVC MOLDED, SCREWS:2PCS, Nickel Plating	1PCS	SUST APPROVED:						①		CABLE	CABLE 32AWG(1/0.20BC+AL)*4P+1/0.20*6C+AL PVC OD:5.5MM	L=MM	APPROVED: Emil Olsen		NO.	PART NO.	MANE	DESCRIPTION	Q'TY	DRAWING: YUCHENGSHI 2022.11.28	
⑤		Plastic	Black PVC	25g	PROJ:		TOLERANCE:	XX= XXX=	PROUCT NAME: DP M TO DVI M																																																												
④		Plastic	LDPE INNER MOLDED	10g	SCALE:	NONE	REV:	A2	PART NO: DP-DVI-MM-xxx																																																												
③		CONNECTOR	DP 20P Male Pin Gold Plating Shell Gold Plating, Black Insulation, Black ABS CASE	1set	UNIT:	MM	SHEET:	1/1	CUST: EET																																																												
②		CONNECTOR	DVI24+1 M 25PIN Pin Gold Plating /Shell Gold Plating, Black Insulation, PVC MOLDED, SCREWS:2PCS, Nickel Plating	1PCS	SUST APPROVED:																																																																
①		CABLE	CABLE 32AWG(1/0.20BC+AL)*4P+1/0.20*6C+AL PVC OD:5.5MM	L=MM	APPROVED: Emil Olsen																																																																
NO.	PART NO.	MANE	DESCRIPTION	Q'TY	DRAWING: YUCHENGSHI 2022.11.28																																																																
8		7		6		5		4		3		2		1																																																							